

Anvil

Desking System



Creative Design Possibilities

Combining alternate screen & drawer fronts with standard core ANVIL elements creates stunning asthetic effects for your space.







Natural Elegance

The ever-adaptable ANVIL system can be transformed by combining standard components with custom accents. Re-energise your workspace.







Action Stations

Whether you need individual offices for concentrated work or team based work areas to enhance interaction, ANVIL workstations are a superb collection of desk and workstation elements. There is no reason why your office furniture should not be as architecturally appealing as your offices – ANVIL is a statement in style.







Precision Design

Great office environments are shaped by clean furniture design. ANVIL gives you a framework that will support dynamic changes in workplace technologies and evolving work practices.





Team Spaces

ANVIL frame systems give your collaboration areas a refreshing image that will encourage freedom of thought & inspired decision making.





Comseal Cable Tidy System

Simply Efficient

An efficient way of achieving concealed & practical routing of services. Comseal allows you to plug in at the desktop & still retain the ability to conceal all your power & data cables.

Plug in at the desktop.



Hide your cables all the way to where you need them.

Works with clamp on shelves
& monitor arms.



Shown with ANVIL 90° cluster.



Shown with AXIS straightline desk & offset screen.



Shown with AXIS height adjustable back to back.



Shown with ANVIL 120°.

Anvil Straightline

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

Standard worktop sizes

1200w x 600d x 715h mm
 1200w x 750d x 715h mm
 1500w x 600d x 715h mm
 1500w x 750d x 715h mm
 1800w x 600d x 715h mm
 1800w x 750d x 715h mm



Straightline Singles

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

Options

- Clampon screens
- Cable management & data rails
- Modesty panels.



Straightline Two Sided

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



Straightline Single Sided Double

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

Options

- Clampon screens
- Cable management & data rails
- Modesty panels.



Straightline Two Sided Double

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



Straightline Single Sided Triple

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

Options

- Clampon screens
- Cable management & data rails
- Modesty panels.



Straightline Two Sided Triple

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



Anvil 120 Degree

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

Standard worktop sizes

1200mm x 1200/600mm x 715h mm



120 Degree Singles

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

Options

- Clampon screens
- Cable management & data rails
- Modesty panels.



120 Degree Three Cluster

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



120 Degree 2/3

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



120 Degree Six Cluster

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



Anvil 120 Degree Suggested Layout



Anvil 90 Degree

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

Options

- Clampon screens
- Cable management & data rails
- Modesty panels.

Standard worktop sizes

1800 x 1800w x 750d x 715h mm
1800 x 1800w x 600d x 715h mm



Anvil 90 Degree Single

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

Options

- Clampon screens
- Cable management & data rails
- Modesty panels.



Anvil 90 Degree Tee Cluster Two

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



Anvil 90 Degree H Cluster Four

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



Anvil 90 Degree Plus Cluster Four

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



Anvil 90 Degree Suggested Layouts



Anvil 90 Degree Plus Cluster Six

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



Anvil 90 Degree Plus Cluster Eight

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



Anvil 90 Degree H Cluster Eight

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



Anvil Caddy

Standard features

- Studio White
- 18mm, flush-joined construction
- 5 white castors
- 640h x 993w x 460d mm
- Gang-lock to all drawers
- Height adjustable shelves
- Drawer units & tambours all interchangeable & lockable



- Double Bookcase



- One Drawer / Bookcase RH



- One Drawer / Bookcase LH



- Two Drawers



- One Drawer / Tambour LH



- One Drawer / Tambour RH



- Two Tambours



- Tambour / Bookcase LH



- Tambour / Bookcase RH

Seat Toppas

Standard features

- Fits on Caddy mobile or Melamine mobile
- 27h x 467w x 467w mm
- Selected fabrics only



Anvil Tower

Standard features

- Studio White
- 25mm tops and base, 18mm sides and shelves
- Arctic White steel feet
- 1250h x 506w x 460d mm
- Drawer units
- Height adjustable shelves
- Flush joined construction



- Bookcase



- Bookcase + Drawers



- Tambour + Drawers

Softwiring Options - also see Comseal page 15

Above Desk

- Concealed cable trays have solid power/data segregation.
- Above desk power/data rail fits up to 4x data bezels and 4x GPO.
- Above desk rail fits to all back-to-back shared spaces.



Below Desk

- Under desk fixed cable trays have solid power/data segregation
- Under desk power/data rail fixes to underside of worktop in location of choice. Fits up to 4x data bezels and 4x GPO



Screens, Deskselves & Accessories

- Clamp-on screens are set at 500mm above desk, 400mm below
- All screens come with e-panel and translucent twinwall options
- A4 paper trays and pen holders hook to the central transom
- Desk mounted filing shelves clamp to the rear of any shared or single workspaces. 600mm x 300mm with 4x chromed bookend hoops.



Melamine Mobiles

- 18mm construction - Studio White E1 grade board
- 640h x 467w x 460d
- Gang-locks all drawers
- Fifth wheel for stability



4 Drawer or 2 Drawer + File

Steel Mobiles

- 2 Drawer & File with curved front
- Pen tray included
- 565h x 392w x 500d
- Gang-locks all drawers
- Fifth wheel for stability



White or Silver Powdercoat

Tambours

Standard features

- Locking, space-saving roller doors
- Arctic White powdercoated feet
- 25mm tops and base, 18mm sides and shelves
- Silver doors
- Flush-joined construction



Cupboards

Standard features

- Locking doors
- Arctic White powdercoated feet with leveling glides
- 25mm tops and base, 18mm sides and shelves
- Flush-joined construction



Bookshelves

Standard features

- Arctic White powdercoated feet
- 25mm tops and base, 18mm sides and shelves
- Flush-joined construction



Credenzas

Standard features

- Locking doors
- Arctic White powdercoated feet with leveling glides
- 25mm tops and base, 18mm sides and shelves
- Flush-joined construction



Axis Tables

Standard features

- 50mm x 50mm end frames with flush ground weld finish
- 50mm x 25mm rails
- 80mm height adjustment in each foot
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

Standard worktop sizes

1200w x 600d x 715h mm	18
1200w x 750d x 715h mm	18
1500w x 600d x 715h mm	18
1500w x 750d x 715h mm	2400w x 1200d x 715h mm - Shown
1800w x 600d x 715h mm	1000w x 1000d x 715h mm
1800w x 750d x 715h mm	ø 1050mm



Anvil Reception

Standard features

- Studio White melamine
- Chrome beading detail on front
- 18mm, flush-joined construction
- Straight or 90° options

Standard sizes

90° Corner:
1226 x 1842w x 300d x mm

Straight:
1226 x 1842w x 300d x mm



Filing Cabinets

Standard features

- Locking doors
- 25mm tops and base, 18mm sides and shelves
- Flush-joined construction
- Gang-locks all drawers
- 1250h x 481w x 500d mm



Axis Coffee Tables

Standard features

- 50mm x 50mm end frames with flush ground weld finish
- 50mm x 25mm rails
- 80mm height adjustment in each foot
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

Standard worktop sizes

600w x 600d x 450h mm
600w x 1200d x 450h mm - **Shown**



Axis Height Adjustable Desk

Standard features

- 60mm x 60mm end frames with flush ground weld finish
- 70mm x 40mm base rail
- Height adjustable 660mm - 1060mm
- Arctic white powdercoat & chrome finish
- Retractable handle

Standard frame sizes fit worktops

1200mm - 2200mm x 700 - 800mm



Axis Height Adjustable 90 Degree Workstation

Standard features

- 60mm x 60mm end frames with flush ground weld finish
- 70mm x 40mm base rail
- Height adjustable 660mm - 1060mm
- Arctic white powdercoat & chrome finish
- Retractable handle

Standard frame sizes fit worktops

1200mm - 2200mm x 1200mm - 2200mm x
700 - 800mm deep



Axis Height Adjustable Double Sided Desk

Standard features

- 60mm x 60mm end frames with flush ground weld finish
- 70mm x 40mm base rail
- Height adjustable 660mm - 1060mm
- Arctic white powdercoat & chrome finish
- Retractable handle

Standard frame sizes fit worktops

1200mm - 2200mm x 700 - 800mm




Axis Height Adjustable Suggested Layouts




Anvil System Size Guide




Single Desks




Single Workstations




90 Degree Workstations





120 Degree Workstations



Shared Desks



Anvil Leg



DELIVERY
AUSTRALIA WIDE

www.acidesign.com.au

E: hurley@acidesign.com.au

P: 03 9525 6989

M: 0418 338 604

